

Recycling at the highest level







# There are important messages in our bottles


#### Over the last 10 years,

RadiciGroup polyester business area has recycled more than 68 millions of bottles

(100% post consumer bottle flakes)

with a steady growth rate.
This led to the creation of Repetable®, a sustainable product obtained from post-consumer recycled PET Bottles with optimal performance for a variety of applications.


Plastic Consult estimate on average weight of italian bottles.



## Repetable<sup>®</sup>. Multi life fibres.

Repetable® is the long-standing RadiciGroup product, obtained from post-consumer recycled polymer (PET Bottles) which respects the environment, especially in raw and dope dyed versions. It boasts versatility of production and a wide product range as for dope dyed in UV stabilized version.

### We make it endless



## High quality solutions for any need of yours

	Bright	Semi dull	Full dull	Dope dyed	Yarn dyed	Uv Resistant	Bacteriostatic
PES	~	~	<b>~</b>	<b>~</b>	~	~	~
CATIONIC	~	~			<b>~</b>		~
PBT	~	~		<b>~</b>			~
PLA	~	~		<b>~</b>			~
FLAME RETARDANT	~	~	<b>~</b>	<b>~</b>	~	~	~
ANTIMONY FREE	~	~		<b>~</b>	~		~
CERAMIC			<b>~</b>	<b>~</b>	<b>~</b>		~
FOOD CONTACT	<b>~</b>	<b>~</b>		<b>~</b>			
MATRIX PES/PA		~					
BICO PES/PES			~			~	
<b>REPET</b> ABLE*	~	~	~	~	~	~	

## **REPET**ABLE®

#### A long-term leader in recycled PET, RadiciGroup has created Repetable®.

It is a wide range of sustainable, versatile and high-performance polyester fibres offering multiple possibilities as for additives, dyeings and applications. In addition, RadiciGroup can also guarantee production for reduced quantities, and handle personalised requests in terms of yarn counts, filaments and technical characteristics.

#### **Dullness**

Available in bright, semi-dull and full-dull versions.

#### **Cross sections**

All combination polymer/addictive available in standard and special cross section: round, trilobal, triangle, hollow and octolobal.

#### Colours and dyeings

Available in solution-dyed and yarn-dyed colours according to customer request.

#### Availability for small orders

Supply is possible also for reduced quantity orders.

#### **Technical Properties**

- 1 HUV resistant x outdoor applications
- 2 Flame retardant x furniture and contract **NEW**
- 3 Cationic x easy dyeing melange and fantasy yarns **NEW**



## Why choose Repetable®

- A global leader: Repetable® is a product from RadiciGroup, one of the world's leading manufacturers of polyamide, polyester, synthetic fibres, nonwovens and engineering polymers.
- Performance: Repetable® technological properties and performances are comparable with virgin polyester.
- No waste: conversion of PET bottles helps reduce potential waste in the environment.
- Green energy: more than 50% of the energy used by RadiciGroup is green, as it comes from renewable sources.

## Our results are repe(a)table

Resource saving standard yarn dyed polyester vs Repetable® solution dyed polyester.

(Studio ICA 2012 - LCA Short Study for RadiciGroup 2018 - Ecoinvent 3.3 - EPD methodology)

Repetable® Yarn



Energy

**Energy saving of 60%** Cumulative Energy Demand (CED - MJ per kg)



**Emissions** 

45% lower CO<sub>2</sub> emissions

Global Warming Potential (GWP - kg CO2 eq. per kg)



Water

Water saving of 90%

Water Consumption (litres per kg)

## Our applications

Repetable® is the ideal solution for all those sectors where creativity and high performance are required. It has endless applications in:



Hotels and offices





Cruise ships





**Airplanes** 



**Automotive** 



**Fashion** apparel

**Furniture** 



Sportswear

Outdoor



Intimate

wear







STANDARD 100



Certified by ICEA GR0124



## RadiciGroup. Inside your world.

RadiciGroup is one of the world's leading producers of a wide range of chemical intermediates, polyamide polymers, high performance engineering polymers and advanced textile solutions, including nylon yarn, polyester yarn, yarn made from recovered and bio-source materials, nonwovens and personal protective equipment for the industrial and healthcare fields. These products are the result of the Group's outstanding chemical expertise and vertically integrated polyamide production chain and have been developed for use in a variety of industrial sectors, such as: automotive, electrical and electronics, household appliances, consumer and industrial goods, apparel, furnishing, construction, sports. The basis of the Group's strategy is a strong focus on innovation, quality, customer satisfaction and social and environmental sustainability.

## Sustainability

Every day at RadiciGroup, we work to make circularity our business model. We optimize the use of materials while fine-tuning our processes, eliminating waste and promoting recyclability from the earliest product design phases. We are always looking for low-impact solutions in terms of natural resources and energy. We rely on certified management systems for Quality, Health and Safety, Environment and Energy to keep our companies in line with the highest sustainability standards.

1<sup>st</sup> Sustainability Report in 2004

**GRI**, third-party certified **Sustainability Report** covering all RadiciGroup companies worldwide. >70% Emission reduction

Since 2011, in RadiciGroup plants.

Water reused up to 60 times

Water reused in RadiciGroup production plants.

Data Source: RadiciGroup Sustainability Reports



NOYFIL SpA Via Verdi, 1 IT - 24040 Chignolo d'Isola (BG) Tel. +39 035 905252 Fax +39 035 905112 NOYFIL SA Via Gaggiolo, 31 CH - 6855 Stabio Tel. +41 91 6416141

www.radicigroup.com apparel.technical@radicigroup.com

The information provided in this document corresponds to our knowledge on the subject as of the date of publication. The information may be subject to revision as new knowledge and experience become available. Data provided fall within the normal range of product properties and relate only to the specific designated material. The data may not be valid for such material if used in combination with any other material or additive, or in any process, unless otherwise expressly indicated. The data provided should not be used to establish specification limits. Such data are not intended to substitute for any testing you may need to conduct to determine the suitability of a specific material for particular purposes. Since the above-mentioned companies cannot anticipate all the variations occurring in end-use conditions, the above-mentioned companies make no warranties and assume no